

Outside IP Address

<http://www.whatismyip.com/>

64.33.137.161 new
208.157.182.118 old

You would need to open(forward) the port for telnet, which is port 23 to your internal IP address of 192.168.150.69.

TCC

User: horizon

Password: rodney

House Wireless Router

Calix Giga Center 844E Router:

ip 192.168.150.1

User = admin and password = tccadsl

DHCP Settings

DHCP Settings define the LAN addressing parameters for your device to allocate IP addresses to LAN devices.

DHCP:

Host Name:

Domain Name:

DHCP server state: ☒ Enabled ☐ Disabled

IP addressing values:

Device IP Address:

Beginning IP Address:

Ending IP Address:

Subnet Mask:

DHCP server lease time:

Days: Hours: Minutes:

DHCP Reservation : ☒ Sticky ☐ Permanent(NOT Advised)

Servers allocated with DHCP requests:

DHCP DNS Type: ☐ Default Servers ☒ Custom Servers

Primary DNS:

Secondary DNS:

Barn Wireless Router

ip 192.168.150.254

User = admin and password = tccadsl



ASUS RT-AC66U

Logout

Reboot

English

Quick Internet Setup

General

Network Map

Guest Network

Traffic Manager

Parental Controls

USB Application

AiCloud 2.0

Advanced Settings

Wireless

LAN

WAN

IPv6

VPN

Operation Mode: Wireless router Firmware Version: 3.0.0.4.376_2524
SSID: House_2.4Ghz House_5Ghz

VPN Server VPN Client

VPN - VPN Server General

Basic Config

Enable VPN Server ☒ ON

Server mode PPTP

Network Place (Samba) Support ☐ Yes ☒ No

The VPN server allows you to access your home network anytime, anywhere.

To use the VPN server. Please follow these steps.

- (1) Enable the PPTP VPN server
- (2) Set the IP pool for client IP. (Maximum 10 clients)
- (3) Set up the username and password for VPN client.
- (4) Open the VPN connection program on your computer or smartphone.
- (5) Add a new PPTP VPN connection and the VPN server address is 208.157.182.118
- (6) If your WAN IP address is dynamic, please click here to set the DDNS.

• [VPN_Server_FAQ](#)

Username and Password (Max Limit : 16)

Connection Status	User Name	Password	Add / Delete
-			+
Disconnected	rhonda	rcms	-

Microsoft Windows [Version 10.0.10586]
(c) 2015 Microsoft Corporation. All rights reserved.

C:\Users\horiz_000>ipconfig /all

Windows IP Configuration

Host Name : Chronos7
Primary Dns Suffix :
Node Type : Hybrid
IP Routing Enabled. : No
WINS Proxy Enabled. : No

Ethernet adapter Ethernet:

Connection-specific DNS Suffix . :
Description : Realtek PCIe GBE Family Controller
Physical Address. : 18-67-B0-30-CF-6C
DHCP Enabled. : Yes
Autoconfiguration Enabled : Yes
Link-local IPv6 Address : fe80::8c3e:8f9e:467b:97a2%7(Preferred)
IPv4 Address. : 192.168.150.130(Preferred) 
Subnet Mask : 255.255.255.0
Lease Obtained. : Saturday, March 26, 2016 5:48:59 AM
Lease Expires : Sunday, March 27, 2016 5:48:59 AM
Default Gateway : 192.168.150.1 
DHCP Server : 192.168.150.1
DHCPv6 IAID : 256948163
DHCPv6 Client DUID. : 00-01-00-01-18-7D-10-2E-18-67-B0-30-CF-6C
DNS Servers : 192.168.150.1 
NetBIOS over Tcpip. : Enabled

C:\Users\horiz_000>

Netgear 24 port switch

Network Workgroup: EDANET

Chronos7 (Office)

old 192.168.150.118

Aktiv (Surface)

192.168.150.114

SE-Chronos

192.168.150.106

JE-XPS (Studio PC)

192.168.150.55

User: Audio Password: rodney607

Apple Laptop-iBook G4

User: jimengandela or Jim Engandela

Password: vince or rodney607

Jim Engandela rodney607

Barn Garage

Not a static IP

BARN-garage

Barn Shop

Not a static IP

Barn Office

Not a static IP

Network Printers

Main Office: Office Jet Pro X576

Barn Office: HP LASERJET P2015 DN Printer cartridge = 53A Q7553A IP= 192.168.150.95

NAS Drives

RCMS UNIX Computer

DIRECT ACCESS FROM START - RUN

Run:

telnet 192.168.150.69

login=rcms

password=hotdog

Term=enter

\$= RCMS or isql

entry=999

password=RICK

To Shutdown

Exit RCMS (quit)

Press Control D

Reopen Telnt

Login: root

Password: mustard

\$: control-D

Login: root

Password: mustard

shutdown -y -g0 and enter

Wait 5 minutes after you issue the command and then power it off manually.

TCC Telephone 715-695-2691 Andrea Online Help 1-888-655-8642 info@tcc.coop

Jon Higley Internet & Phones, **Kevin** IT, Ben, Mary/Phone, Jeremy (office)

Dan Tech Direct **715-695-2827** dfeuling@tccpro.net

Kevin Schroeder IT kschroeder@tcc.coop 715-695-2805

Buck Larry 715-461-0303 Buck Web (fiber) 715-695-2691 bwebb@tcc.coop

Ben Gumz Customer Service & Support 715-695-2810 bgumz@tcc.coop

Internet Package Shannon 715-695-2800 sthompson@tcc.coop

Andrea's direct line 715-695-2824 Tri-County home anyseth@tcc.coop

Chris=eMail support

TCC coop Web Email: www.triwest.net

User: horizon

Password: rodneY

All triwest emails come to horizon@triwest.net

TRI-WEST INTERNET

www.triwest.net

host server: mail.airstreamcomm.net

Connection Phone: 985-2700

Phone Number: 715-695-2691

incoming: mail.triwest.net

outgoing: smtp.triwest.net

horizon@triwest.net >

Username: horizon

Password: rodney

aktivmusic@triwest.net >

Username: aktivmusic

Password: rodney

perfectproducts@triwest.net >

Username: aktivmusic

Password: rodney

horizonse@triwest.net

Username: horizonse

Password: rodney

Remove a couple Kevin

All emails from www.horizon-software.com are forwarded to horizon@triwest.net

jim@horizon-software.com

host: mail.horizon-software.com

User Name: jim

Password: rodney

info@horizon-software.com

host: mail.horizon-software.com

User Name: info

Password: rodney

support@horizon-software.com

host: mail.horizon-software.com

User Name: jim

Password: rodney

TwonkyMedia

User: jim

Password: rodney607

POP and IMAP Account Settings

Enter the mail server settings for your account.



User Information Your Name: Jim Engandela Email Address: horizon@trivest.net Server Information Account Type: IMAP Incoming mail server: mail.trivest.net Outgoing mail server (SMTP): smtp.trivest.net Logon Information User Name: horizon Password: ***** ☒ Remember password ☐ Require logon using Secure Password Authentication (SPA)	Test Account Settings We recommend that you test your account to ensure that the entries are correct. Test Account Settings ... ☒ Automatically test account settings when Next is clicked Mail to keep offline: All <input type="range" value="100"/> More Settings ...
--	--

OLD Stuff**JE HomeGroup (Windows 8)**

password Gj3Bh42Gl6

Samsung Chronos Home Network

Password: NT8Ce12b2n

Barn Modem & Switch

Comtren DSL Modem and Wireless "N" CT5364A Used as a Bridge
8 port switch

Barn NAS Backups

MyBookWorld1 - Static IP: 192.168.150.72 T - Drive
MyBookWorld3 - Static IP: 192.168.150.74 V - Drive
User: horizonje
Password: rodney607

Linn-Nas1

192.168.150.106
Username: admin
Password: rodney607

StudioServer

192.168.150.105
Username: admin
Password: rodney607

zo11MF1ai8

Cisco Compact 24-Port Gigabit Switch with 2 Combo Mini-GBIC Ports (SG102-24-NA)

To barn I can do a 50Megx50Meg connection for 10\$/month or 80Megx80Meg for \$15

20 meg internet speed